



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/698,042

10/29/2003

Gregory Steintal

041358-0285

1202

22428

7590

07/27/2005

FOLEY AND LARDNER

SUITE 500

3000 K STREET NW

WASHINGTON, DC 20007

EXAMINER

LE, TOAN M

ART UNIT

PAPER NUMBER

2863

DATE MAILED: 07/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/698,042

Applicant(s)

STEINTHAL ET AL.

Examiner

Toan M. Le

Art Unit

2863

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 July 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-6, 8-29 and 31-33 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-29 and 31-33 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 June 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-6, 8-10, 12, 16-18, 20-25, 28-29, and 31 are rejected under 35 U.S.C. 102(b) as being anticipated by Jacobsen et al (US Patent No. 6,198,394).

Referring to claim 1, Jacobsen et al. disclose a biological agent detection apparatus (figure 4A), comprising:

a substrate;

an array of two or more sensors arranged on the substrate, wherein at least a first one of the sensors includes a sensing element configured to detect a biological agent (col. 10, lines 54-67; figure 4A, Block 304; col. 16, lines 5-17 and lines 35-39); and

a processing module directly coupled to each of the sensors and configured to process signals received from the two or more sensors to produce an output signal (col. 16, lines 24-28), and further including a communication module configured to provide information to a user in response to the output signal having a value at or above a threshold value (col. 12, lines 21-27).

As to claim 2, Jacobsen et al. disclose a biological agent detection apparatus, wherein the processor is configured to execute a first process that detects a change in an environmental condition, and a second process that identifies an origin of the change in the environmental condition (col. 16, lines 35-39).

Referring to claim 3, Jacobsen et al. disclose a biological agent detection apparatus, wherein the second process includes a pattern recognition algorithm 420 (figure 6A).

As to claim 4, Jacobsen et al. disclose a biological agent detection apparatus, further including a communication module configured to provide the output signal to an external intelligence device (col. 14, lines 11-19; figure 6A).

Referring to claim 5, Jacobsen et al. disclose a biological agent detection apparatus, wherein the communication module includes one of a wireless interface and a physical bus interface for communicating with the external intelligence device (col. 17, lines 25-28).

As to claim 6, Jacobsen et al. disclose a biological agent detection apparatus, further including:

- a power module for supplying power to the detection apparatus (figure 4A); and
- a pick-up antenna, wherein the power is supplied by an external RF field received by the antenna (col. 16, lines 24-28).

Referring to claim 8, Jacobsen et al. disclose a biological agent detection apparatus, wherein the communication module includes one of a LED, speaker, buzzer and vibration mechanism (col. 9, lines 21-33; col. 11, lines 41-50; figure 3).

As to claim 9, Jacobsen et al. disclose a biological agent detection apparatus, wherein the wireless interface device includes one of an RF transmitter, an RF transceiver, an IR transmitter and an IR transceiver (figure 4A).

Referring to claim 10, Jacobsen et al. disclose a biological agent detection apparatus, wherein the physical bus interface includes one of an RS-232 port, a USB port and a Firewire port (figure 6A).

As to claim 12, Jacobsen et al. disclose a biological agent detection apparatus, wherein at least a second one of the sensors is a chemical sensor 304 (figure 4A).

As to claim 16, Jacobsen et al. disclose a biological agent detection apparatus, wherein the sensors and the processing module are integrated on the substrate (figure 4A).

Referring to claim 17, Jacobsen et al. disclose a biological agent detection apparatus, further including an attachment mechanism for allowing a user to wear the apparatus (figures 1 and 3).

As to claim 18, Jacobsen et al. disclose a biological agent detection apparatus, wherein the attachment mechanism includes one of a clip and a pin (figures 1 and 3).

As to claim 20, Jacobsen et al. disclose a biological agent detection apparatus, wherein the apparatus is used to diagnose a disease or determine a biological agent based on sampling the atmosphere or a bodily fluid (col. 16, lines 5-17 and lines 35-39).

Referring to claim 21, Jacobsen et al. disclose a biological agent detection apparatus, wherein a second one of the sensors includes a sensing element configured to detect a biological element different from the biological agent detectable by the first sensor (col. 16, lines 5-17 and lines 35-39).

As to claim 22, Jacobsen et al. disclose a biological agent detection apparatus, further comprising a communication module configured to communicate with an external processor (figure 6A).

Referring to claim 23, Jacobsen et al. disclose a biological agent detection apparatus, wherein the communication module includes a wireless transmitter device (col. 17, lines 25-28; figures 4A and 6A).

Art Unit: 2863

As to claim 24, Jacobsen et al. disclose a biological agent detection apparatus, wherein the wireless transmitter device includes one of an RF transmitter and an IR transmitter (figures 4A and 6A).

Referring to claim 25, Jacobsen et al. disclose a sensor system, comprising:

a plurality of sensing devices, each device including an array of two or more sensors arranged on a substrate and a wireless communication module for remote communication (col. 10, lines 54-67; figure 4A, Block 304; col. 16, lines 5-17 and lines 35-39); and

a central processing node, located remote from said sensing devices, including a processing module and a communication module, said node being configured to receive and process signals from the plurality of sensing devices (col. 16, lines 24-28), and

wherein each sensing device includes a power source selected from the group consisting of a battery, a solar cell, an RF tag module and an IR tag module (col. 16, lines 24-28; figure 4A).

As to claim 28, Jacobsen et al. disclose a sensor system, wherein at least a first one of said sensing devices includes a sensor configured to detect a biologic agent (col. 16, lines 15-17 and lines 35-39).

Referring to claim 29, Jacobsen et al. disclose a sensor system, wherein at least a first one of said sensing devices includes a sensor configured to detect a chemical agent (col. 16, lines 15-17 and lines 35-39).

As to claim 31, Jacobsen et al. disclose a sensor system, wherein at least one sensing device includes a power source selected from one of the RF tag module and the IR tag module (col. 16, lines 24-28; figures 4A and 6A), and wherein the communication module of the central

Art Unit: 2863

processing node includes one of a corresponding RF or IR transceiver for sending a corresponding RF or IR activation signal to the at least one sensing device and for receiving an information signal from the at least one sensing device (col. 16, lines 29-34).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 11, 13-15, 19, 26-27, and 32-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jacobsen et al. (US Patent No. 6,198,394) as applied to claims 1-6, 8-10, 12, 16-18, 20-25, 28-29, and 31 above, and further in view of Lewis et al. (US Patent No. 6,759,010).

Referring to claims 11, 13, 19, 26-27, and 32-33, Jacobsen et al. do not disclose an apparatus, wherein at least two of the sensors are polymer composite sensors and wherein the sensing element of the first sensor is selected from the group consisting of a polymer composite sensor, a surface modified carbon black sensor, a sol-gel encapsulated enzyme, a biopolymer, a self assembling monolayer, an intrinsically conducting polymer, a carbon nanotube composite, a nanogold composite and a nanoscale polymer composite and is an intrinsically conducting polymer selected from the group consisting of polyaniline and polythiophene.

Lewis et al. disclose an apparatus, wherein at least two of the sensors are polymer composite sensors and wherein the sensing element of the first sensor is selected from the group consisting of a polymer composite sensor, a surface modified carbon black sensor, a sol-gel

Art Unit: 2863

encapsulated enzyme, a biopolymer, a self assembling monolayer, an intrinsically conducting polymer, a carbon nanotube composite, a nanogold composite and a nanoscale polymer composite and is an intrinsically conducting polymer selected from the group consisting of polyaniline and polythiophene (col. 12, lines 16-34; col. 41, lines 35-41 and lines 52-53).

Accordingly, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have applied the teaching of Lewis et al. into the reference of Jacobsen et al. to improve biological/chemical agents sensors in identifying a molecule, the molecule's diffusion coefficient, and the specific activity, structure and function of the molecule detected.

As to claims 14-15, the dimension of the apparatus is a matter of choice and would not involve patentable invention as the prior art recognizes the dimension with respect to the specification application.

### *Response to Arguments*

Applicant's arguments with respect to claims 1-6, 8-29, and 31-33 have been considered but are moot in view of the new ground(s) of rejection.

### *Conclusion*

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Toan M. Le whose telephone number is (571) 272-2276. The examiner can normally be reached on Monday through Friday from 9:00 A.M. to 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 2863

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Toan Le

July 20, 2005

**BRYAN BUI**  
**PRIMARY EXAMINER**

A handwritten signature in black ink, appearing to read 'Bryan Bui', is written below the printed name and title.